# This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

### IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

JA TA





FIGURE 1A

# fluoroseal


LINED PLUG VALVES

FLUOROSEAL is proud to introduce it's new series of lined plug valves. This revolutionary design, while emphasizing on the proven track record of the FLUOROSEAL Sleeved line, introduces new features & benefits that are setting new industry standards. The lined series was conceived with the customer in mind, every feature is designed to solve current day to day problems.



#### New "EZ Seal"® Concept


This Single Point Frontal Adjustment system (Patent Pending) eliminates the Guess work out of stem seal and plug adjustment, easy access and 360deg simultaneous and even compression eliminates side loading. Adjustment range is also clearly indicated for better maintenance planning.




Standard material

PFA or MEP Liners

offering are in either Molecularly Enhanced PTFE (MEP) or in PFA 350 both Fluoropolymers are virgin and unpigmented. Other polymers are also available to better suit your applications.




Dove Tails along the flow path for full anchoring throughout the valve. Resulting in a superior resistance to delamination and blowouts.



### **Investment Casting &** Nickel Plating


Standard Investment cast Carbon Steel Nickel Plated body for better tolerances and sealing and superior resistance to permeation and environmental corrosion.




All-In-One Bracket


Standard built in 304ss bracket, providing multiple patterns, ISO mounting capability, direct mount position indicator, locking device and travel stop.


Visit us at www.fittorossalessalessalessales















`}

.












FIGURE 12 A

FLUE 12B

F'SUR ZC

